



## References

**Click on references to access full text for additional reading, some might need further access**

*\*Note that those with an asterisk do not have a link*

1. Saver JL. Time is brain- Quantified. Stroke 2006; 37:263-266
2. What is stroke. National Stroke association® [cited 2019 April 12]
3. Signs of a stroke. The heart and stroke foundation South Africa [cited 2019 April 12]
4. Thim T, Vinther NH, Grove EL, *et al.* Initial assessment and treatment with the Airway, Breathing, Circulation, Disability, Exposure (ABCDE) approach. International journal of general medicine 2012; 5:117-121
5. Jauch EC, Saver JL, MD, HP Adams, *et al.* Guidelines for the early management of patients with acute ischemic stroke: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. Stroke 2013; 44:870-947
6. Deng YZ, Jacobs RVS, Birbeck GL, *et al.* IV tissue plasminogen activator use in acute stroke. Experience from a statewide registry. Neurology 2006; 66:306-312  
<https://www.ncbi.nlm.nih.gov/pubmed/16476927>
7. Wojner-Alexandrov AW, Alexandrov AV, Rodriguez D *et al.* Houston paramedic and emergency stroke treatment and outcomes study (HoPSTO). Stroke 2005; 36:1512-1518
8. Canadian Stroke Strategy 2011. Paramedic prompt card for acute stroke protocol; Issue 110, version 1.0
9. Kothari RU, Brott T, Broderick JP, *et al.* Emergency physicians. Accuracy in the diagnosis of stroke. Stroke 1995;26:2238-2241.
10. Kothari R, Barsan W, Brott T, *et al.* Frequency and accuracy of prehospital diagnosis of acute stroke. Stroke 1995;26:937-941
11. Kaste M, Olsen TS, Orgogozo JM. Organizations of stroke care: Education, stroke units and rehabilitation. Cerebrovascular diseases 2000;10(3):1-11
12. Jauch EC, Cucchiara B, Adeoye O, *et al.* Part 11: Adult stroke: 2010 American Heart Association guidelines for cardiopulmonary resuscitation and emergency cardiovascular care. Circulation 2010;122:S818-S828
13. Saver JL, Fonarow GC, Smith EE, *et al.* Time to treatment with intravenous tissue plasminogen activator and outcome from acute ischemic stroke. Journal of the American medical association 2013;309(23): 2480-2488

14. Lees KR, Bluhmki E, von Kummer R, *et al.* Time to treatment with intravenous alteplase and outcome in stroke: an updated pooled analysis of ECASS, ATLANTIS, NINDS, and EPITHET trials. *Lancet* 2010;375:1695-1703
15. The European Stroke Organization (ESO) executive committee and the ESO writing committee. Guidelines for management of ischaemic stroke and transient ischaemic attack 2008. *Cerebrovascular disease* 2008; 25:457–507
16. Berglund A, Svensson L, Sjostrand C, *et al.* Higher prehospital priority level of stroke improves thrombolysis frequency and time to stroke unit. The Hyper Acute Stroke Alarm (HASTA) study. *Stroke* 2012; 43:2666-2670
17. Nagaraja N, Bhattacharya P, Norris G, *et al.* Arrival by ambulance is associated with acute stroke intervention in young adults. *Journal of the neurological sciences* 2012; 316:168-169
- \*18. Hacke W, Donnan G, Fieschi C, *et al.* Association of outcome with early stroke treatment: pooled analysis of ATLANTIS, ECASS, and NINDS rt-PA stroke trials. *Lancet*. 2004 March 6;363(9411):768-74
19. Reginella RL, Crocco T, Tadros A, Shackelford A, Davis SM. Predictors of stroke during 9-1-1 calls: opportunities for improving EMS response. *Prehospital emergency care* 2006; 10:369–373
20. Krebs S, Ebinger M, Baumann Am, *et al.* Development and validation of a dispatcher identification algorithm for stroke emergencies. *Stroke* 2012; 43:776-781
21. Summers D, Leonard A, Wentworth D, *et al.* Comprehensive overview of nursing and interdisciplinary care of the acute ischemic stroke patient. A scientific statement from the American Heart Association. *Stroke* 2009; 40:2911-2944
22. Maggiore, W. A. (2012). 'Time is Brain' in prehospital stroke treatment. *Journal of emergency medical services* 2012;1-9
23. Nor AM, McAllister C, Louw SJ, *et al.* Agreement between ambulance paramedic- and physician-recorded neurological signs with Face Arm Speech Test (FAST) in acute stroke patients. *Stroke* 2004; 35:1355-1359
24. American Stroke Association. Stroke symptoms. [cited 2019 May 13].
25. Lima FO, Silva GS, Furie KL, *et al.* Field assessment stroke triage for emergency destination. A simple and accurate prehospital scale to detect large vessel occlusion strokes. *Stroke* 2016; 47:1997-2002
26. Kidwell C, Starkman S, eckstein M, *et al.* Identifying stroke in the field. Prospective validation of the Los Angeles Prehospital Stroke Screen (LAPSS). *Stroke* 2000;31:71-76
27. Brandler E, Sharma M, Sinert RH, *et al.* Prehospital stroke scales in urban environments. *Neurology* 2014;82:2241-2249

28. Yew KS, Cheng E. acute stroke diagnosis. American academy of family physicians 2009; 80:33-40
29. Kothari RU, Pancioli A, Liu T, *et al.* Cincinnati prehospital stroke scale: reproducibility and validity. Annals of emergency medicine 1999;33(4):373-378
30. NIH stroke scale. [cited 2019 May 13].
31. Improving acute stroke care- The European angels initiative. European Stroke Association [cited 2019 April 12].
32. Xian Y, Holloway RG, Chan PS, *et al.* Association between stroke centre hospitalization for acute ischemic stroke mortality. The Journal of the American Medical Association 2011;305(4):373-380
33. Lin CB, Peterson ED, Smith EE, *et al.* Emergency and medical service hospital prenotification is associated with improved evaluation and treatment of acute ischemic stroke. Circulation: cardiovascular and quality outcomes 2012; 5:514-522
- \*34. Peate I, Dutton H. Acute nursing care. Recognising and responding to medical emergencies. Essex, Routledge. 2012.
35. Kallmunzer B, Breuer L, Kahl N, *et al.* Serious cardiac arrhythmias after stroke. Incidence, time course, and predictors- A systematic, prospective analysis. Stroke 2012; 43:2892-2897
36. About arrhythmia. American Heart Association [cited 2019 April 13].
37. Castillo J, Leira R, Garcia MM, *et al.* Blood pressure decrease during the acute phase of ischemic stroke is associated with brain injury and poor stroke outcome. Stroke 2004; 35:520-526
38. Sulter G, Elting JW, Stewart R, *et al.* Continuous pulse oximetry in acute hemiparetic stroke. Journal of the neurological science 2000; 179:65-9
39. Capes SE, Hunt D, Malmberg K, Pathak P, *et al.* Stress hyperglycemia and prognosis of stroke in nondiabetic and diabetic patients: a systematic overview. Stroke 2001;32(10):2426-2432
40. Feldman Z, Kanter MJ, Robertson CS, *et al.* Effect of head elevation on intracranial pressure, cerebral perfusion pressure, and cerebral blood flow in head-injured patients. Journal of Neurosurgery 1992; 76:207-11
41. Schwarz S, Georgiadis D, Aschoff A, *et al.* Effects of body position on intracranial pressure and cerebral perfusion in patients with large hemispheric stroke. Stroke 2002; 33:497-501
42. Ng I, Lim J, Wong HB. Effects of head posture on cerebral hemodynamics: its influences on intracranial pressure, cerebral perfusion pressure, and cerebral oxygenation. Neurosurgery. 2004; 54:593-7

43. Favilla CG, Mesquita RC, Mullen M, *et al.* Optical bedside monitoring of cerebral blood flow in acute ischemic stroke patients during head-of-bed manipulation. *Stroke* 2014; 45:1269-1274
44. McKinney SJ, Mylavarapu K, Lane J, *et al.* Hospital prenotification of stroke patients by emergency medical services improves stroke time targets. *Journal of Stroke and Cerebrovascular Diseases* 2013;(22):113-118
45. Abdullah AR, Smith EE, Biddinger PD, *et al.* Advance hospital notification by EMS in acute stroke is associated with shorter door-to-computed tomography time and increased likelihood of administration of tissue-plasminogen activator. *Prehospital Emergency Care* 2008;12:426-431
46. Casolla B, Bodenant M, Girot M, *et al.* Intra-hospital delays in stroke patients treated with rt-PA: impact of preadmission notification. *Journal of Neurology* 2012;260(2):635-639
47. Patel MD, Rose KM, O'Brien EC, *et al.* Prehospital notification by emergency medical services reduces delays in stroke evaluation. *Stroke* 2011;42:2263-2268
48. Tai YJ, Weir L, Hand P, *et al.* Does a 'code stroke' rapid access protocol decrease door-to-needle time for thrombolysis? *Internal Medicine Journal* 2012; 42:1316-1324